



## Extract of the stocklist 704.714.8866 - RolfKoerner.com

Material	mesh	Mode of weaving	Aperture in mm	wire diameter in mm
4301	002.15	plain weave	10	1,8
4301	002.20	plain weave	10	1,4
4301	002.20	plain weave	10	1,5
4301	002.65	plain weave	8	1,6
4301	002.80	plain weave	8	1
4301	003.00	plain weave	7,1	1,4
4301	003.50	plain weave	6,3	1
4301	003.60	plain weave	5	2
4301	004.00	plain weave	4,3	5 2
4301	004.00	plain weave	5,15	1,2
4301	004.25	plain weave	5	1
4301	004.90	plain weave	4	1,2
4301	005.00	plain weave	4	1
4301	006.00	plain weave	3	1,2
4301	006.00	plain weave	3,33	0,9
4301	006.35	plain weave	3	1
4301	006.50	plain weave	3,15	0,8
4301	006.80	plain weave	3,15	0,56
4301	007.00	plain weave	2,5	1,2
4301	007.25	plain weave	2,5	1
4301	008.00	plain weave	2,5	0,7
4301	008.50	plain weave	2	1
4301	008.75	plain weave	2	0,9
4301	009.75	plain weave	1,6	1
4301	010.00	plain weave	1,64	0,9
4301	010.00	plain weave	1,81	0,8
4301	010.00	plain weave	2	0,5
4301	010.00	plain weave	2	0,56
4301	012.00	plain weave	1,4	0,7
4301	012.00	plain weave	1,54	0,58
4301	012.00	plain weave	1,6	0,5
4301	013.00	plain weave	1,2	0,8
4301	014.00	plain weave	1	0,8

4301	014.00	plain weave	1,2	0,6
4301	016.00	plain weave	1	0,6
4301	016.00	plain weave	1,2	0,45
4301	016.00	plain weave	1,25	0,4
4301	016.00	plain weave	1,4	0,22
4301	017.00	plain weave	1	0,5
4301	018.00	plain weave	0,9	0,5
4301	018.00	plain weave	1	0,4
4301	020.00	plain weave	0,8	0,5
4301	020.00	plain weave	0,87	0,4
4301	020.00	plain weave	0,9	0,38
4301	020.00	plain weave	0,94	0,33
4301	020.00	plain weave	1	0,25
4301	020.00	plain weave	1	0,3
4301	024.00	plain weave	0,72	0,35
4301	024.00	plain weave	0,76	0,3
4301	024.00	plain weave	0,8	0,32
4301	025.00	plain weave	0,63	0,4
4301	028.00	plain weave	0,5	0,4
4301	028.00	plain weave	0,63	0,28
4301	029.00	plain weave	0,63	0,25
4301	030.00	plain weave	0,5	0,32
4301	030.00	plain weave	0,55	0,3
4301	030.00	plain weave	0,56	0,28

Other dimesions on request



## Extract of the stocklist

Material	mesh	Mode of weaving	Aperture in mm	wire diameter in mm
4301	030.00	plain weave	0,55	0,3
4301	030.00	plain weave	0,56	0,28
4301	030.00	plain weave	0,6	0,25
4301	032.00	plain weave	0,5	0,3
4301	036.00	plain weave	0,5	0,2
4301	040.00	plain weave	0,4	0,22
4301	040.00	plain weave	0,4	0,25
4301	050.00	plain weave	0,28	0,225
4301	050.00	plain weave	0,315	0,2
4301	060.00	plain weave	0,23	0,19
4301	060.00	plain weave	0,25	0,16
4301	080.00	plain weave	0,2	0,12
4301	080.00	plain weave	0,2	0,14
4301	100.00	plain weave	0,15	0,1
4301	100.00	plain weave	0,15	0,11
4301	120.00	plain weave	0,125	0,08
4301	120.00	plain weave	0,125	0,09
4301	150.00	plain weave	0,1	0,065
4301	180.00	plain weave	0,09	0,05
4301	200.00	plain weave	0,075	0,05
4301	200.00	plain weave	0,075	0,053
4301	200.00	plain weave	0,087	0,04
4301	200.00	plain weave	0,071	0,045

Other dimesions on request



## Extract of the stocklist

Material	mesh	Mode of weaving	Aperture in mm	wire diameter in mm
4401	002.10	plain weave	10	2
4401	010.00	plain weave	2	0,5
4401	013.00	plain weave	1,25	0,8
4401	017.00	plain weave	1	0,5
4401	018.00	plain weave	1	0,36
4401	018.00	plain weave	1	0,4
4401	020.00	plain weave	0,8	0,5
4401	020.00	plain weave	0,87	0,4
4401	020.00	plain weave	1	0,3
4401	030.00	plain weave	0,5	0,32
4401	030.00	plain weave	0,55	0,3
4401	036.00	plain weave	0,5	0,2
4401	040.00	plain weave	Nr.	14
4401	040.00	plain weave	0,4	0,25
4401	040.00	plain weave	0,43	0,22
4401	050.00	plain weave	0,315	0,2
4401	056.00	plain weave	0,25	0,2
4401	060.00	plain weave	0,25	0,16
4401	080.00	plain weave	0,2	0,12
4401	080.00	plain weave	0,18	0,14
4401	100.00	plain weave	0,15	0,1
4401	100.00	plain weave	0,15	0,11
4401	120.00	plain weave	0,125	0,08
4401	120.00	plain weave	0,125	0,09
4401	150.00	plain weave	0,1	0,065
4401	180.00	plain weave	0,09	0,05
4401	200.00	plain weave	0,075	0,05
4401	200.00	plain weave	0,075	0,053
4401	220.00	plain weave	0,071	0,045
4401	250.00	plain weave	0,063	0,04

Other dimesions on request



Extract of the stocklist

Material	mesh	Mode of weaving	Aperture in mm	wire diameter in mm
4301	230.00	Twill weave	0,063	0,05
4301	325.00	Twill weave	0,042	0,036
4301	500.00	Twill weave	0,025	0,025
4401	250.00	Twill weave	0,063	0,04
4401	300.00	Twill weave	0,05	0,035
4401	325.00	Twill weave	0,042	0,036
4401	400.00	Twill weave	0,035	0,03
4401	450.00	Twill weave	0,031	0,025
4401	500.00	Twill weave	0,025	0,025

Other dimesions on request



Extract of the stocklist

Material	mesh	Mode of weaving	aperture in micron
4301	200/600	twilled dutch	25
4301	165/1400	twilled dutch	15
4301	200/1400	twilled dutch	10
4301	325/2300	twilled dutch	5
4401	200/600	twilled dutch	25
4401	80/700	twilled dutch	25
4401	165/800	twilled dutch	20
4401	165/1400	twilled dutch	15
4401	200/1400	twilled dutch	10
4401	325/2300	twilled dutch	5

Other dimesions on request



## Extract of the stocklist

Material	mesh	Mode of weaving	aperture in micron
4301	012/64	plain dutch	300
4301	14/88	plain dutch	200
4301	24/110	plain dutch	150
4301	30/150	plain dutch	100
4301	40/200	plain dutch	80
4301	50/250	plain dutch	60
4301	80/300	plain dutch	40
4401	012/64	plain dutch	300
4401	24/110	plain dutch	150
4401	30/150	plain dutch	100
4401	40/200	plain dutch	80
4401	50/250	plain dutch	60
4401	80/300	plain dutch	40
4401	80/400	plain dutch	40
FE	012/64	plain dutch	0,60/0,40
FE	14/88	plain dutch	0,50/0,33
FE	24/110	plain dutch	0,35/0,25
FE	30/150	plain dutch	0,23/0,18

Other dimesions on request



Extract of the stocklist

Material	mesh	Mode of weaving	aperture in micron
4401	028/268	plain dutch	84
4401	030/280	plain dutch	90
4401	040/340	plain dutch	78
4401	050/400	plain dutch	60
4401	060/460	plain dutch	48
4401	080/700	plain dutch	34
4401	120/930	plain dutch	25

Other dimesions on request



Extract of the stocklist

Material	Mode of wearing	aperture in micron	wire diameter in mm
4401	reversed plain dutch	150	0,30/0,40 mm
4401	reversed plain dutch	80	0,20/0,40 mm
4401	reversed plain dutch	60	0,15/0,30 mm
4401	reversed plain dutch	40	0,09/0,20 mm
4401	reversed plain dutch	25	0,04/0,16 mm
4401	reversed plain dutch	17	0,04/0,13 mm

Other dimesions on request



Extract of the stocklist

Material	mesh	apertue in micron	Mode of weaving
1.4310/1.4301	072/15	500	reversed twilled dutch
1.4310/1.4301	132/17	300	reversed twilled dutch
1.4310/1.4301	152/24	150	reversed twilled dutch
1.4310/1.4301	260/40	80	reversed twilled dutch
1.4401/1.4401	072/15	55	reversed twilled dutch

Other dimesions on request